

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1620	(709/220).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 13:55
S2	1205	(370/537-539).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 16:40
S3	108135	channel near5 (divid\$3 division subdivid\$3 subdivision multiplex\$3 demultiplex\$3 combin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 09:33
S4	51	S1 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 12:42
S5	528	(715/517).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 12:43
S6	58	(715/519).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 13:22
S7	97	router near5 (channel (sub adj channel)) near5 configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:24
S8	0	router near5 (channel (sub adj channel)) near5 configur\$5 near5 (file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 17:05
S9	1	router near5 (channel (sub adj channel)) near5 configur\$5 near5 (file text format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:24
S10	295	(channel (sub adj channel)) near5 configur\$5 near5 (file text format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:15

S12	4	S2 and (configur\$5 near4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:46
S13	374	S1 and (configur\$5 near4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:46
S14	6	S13 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:47
S15	4649	(sub adj1 channel) sub?channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:54
S16	3126	S15 and (configur\$5 setup initializ\$5 multiplex\$3 demultiplex\$3 divide (sub adj divide) aggregat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:51
S17	1380	S15 same (configur\$5 setup initializ\$5 multiplex\$3 demultiplex\$3 divide (sub adj divide) aggregat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:51
S18	15	S17 same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:51
S19	148	S15 and (configur\$5 near5 (file format text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:58
S20	387	S15 and hierarch\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:58
S21	5	S15 near10 (configur\$5 near5 (file format text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:02

S22	12	S15 same (configur\$5 near5 (file format text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:02
S23	1052	(channel (sub adj channel)) near5 (configur\$5 defin\$6 setup establish\$5) near5 (file text format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 15:13
S24	5	S23 same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:08
S25	35	TDM same (configur\$5 near10 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:08
S26	70494	(configur\$5 defin\$5) near5 (file text format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:17
S27	11635	S26 same (hierarch\$5 structur\$3 outlin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:17
S28	38596	(configur\$5 defin\$5) near5 (file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:17
S29	6905	S28 same (hierarch\$5 structur\$3 outlin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:17
S30	67	(nest\$3) near5 (configur\$5 defin\$6 setup establish\$5) near5 (file text format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:29
S31	187446	(configur\$5 defin\$6 setup establish\$5) near5 (channel subchannel (sub adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:30

S32	253745	(configur\$5 defin\$6 setup establish\$5) with (channel subchannel (sub adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:34
S33	1736	S32 and (text near3 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 15:12
S34	50	S32 same (text near3 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:35
S35	3172	S32 and (top near2 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:35
S36	0	S32 and ((text near3 file) same (top near2 down))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:39
S37	81	"interface ds3"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:41
S38	1656	demultiplex\$3 near5 configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:43
S39	7	demultiplex\$3 near10 (configur\$5 near5 format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:43
S40	2997	pre adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 15:12
S41	127	S40 and ((configur\$5) near5 (file text format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 16:25

S42	2283	channelization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 07:50
S43	1	S42 same (configur\$5 near4 router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 16:28
S44	2	("6,016,319" "6,108,304").pn.	US-PGPUB; USPAT	OR	ON	2005/03/21 16:28
S45	1143	(370/498).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 16:41
S46	158	(370/539).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 17:03
S47	55	(370/543).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 17:03
S48	117	(channel (sub adj channel)) near5 configur\$5 near5 (file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 17:05
S49	51727	(channel (sub adj channel)) near5 configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 17:05
S50	66	S1 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 17:06
S51	332310	multiplex\$3 channeliz\$5 subchannel demultiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 17:07
S52	200	S1 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 07:02

S53	6684	channel near5 provision\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 07:02
S54	6689	(channel subchannel (sub adj1 channel)) near5 provision\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 07:04
S55	70	(channel subchannel (sub adj1 channel)) near5 provision\$3 near5 bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 07:05
S56	2080	channelized	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 09:37
S57	61	channelized near4 configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 08:51
S58	95	channelized near4 (customiz\$5 defin\$3 definition setup configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 08:53
S59	460	channelized same (customiz\$5 defin\$3 definition setup configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 08:53
S60	623	(715/853).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 11:13
S61	4651	(sub adj1 channel) sub?channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 09:33
S62	0	S60 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 09:33

S63	4634	channeliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 09:37
S64	1	S60 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 09:42
S65	1	S60 and ((channel) near5 (multiplex\$3 provision\$3 divid\$3 demultiplex\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 09:43
S66	4634	channeliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:14
S67	117	cisco and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 11:14
S68	120	(717/137).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 13:36
S69	322	(717/136).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 13:37
S70	14	(top adj1 down) same (inline (in adj1 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:40
S71	34	(S68 S69) and (inline (in adj1 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:40
S72	59652	(channeliz\$5 (channel near5 (configur\$5 (sub adj1 channel))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:51

S73	55779	channel near5 (configur\$5 (sub adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:51
S74	51781	channel near5 (configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:52
S75	38684	channel near5 (divid\$3 channelization (sub adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:52
S76	39129	channel near5 (divid\$3 channeliz\$5 (sub adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:53
S77	5719	channel near5 (channeliz\$5 (sub adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:53
S78	4651	(sub adj1 channel) sub?channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:54
S79	2827	S78 and (channeliz\$5 multiplex\$3 configur\$3 provision\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:03
S80	3524	(709/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 13:55
S81	6	S79 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 13:56
S82	35018	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/22 14:03

S83	101	S82 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:06
S84	0	709/519	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 14:07
S85	58	(715/519).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 09:50
S86	306	(715/514).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 09:50